

Desktop Products

# G80-3700 Programmable Keypad



Programmable keypad feature Cherry's MX switch technology with gold crosspoints for long life.

## Main Applications

### Desktop

- Numerical input
- Control systems
- Frequent entry of numbers

## Key Features

- Equally suitable for left- and righthanded users
- Reduced space requirements
- All keys can be user-defined with up to 24 characters per key
- 4 additional user-programmable function keys, can be labeled individually
- Digits can be entered independently of the status of the Num Lock in the system (operation on notebook PC)
- Variable decimal separator [., [, ], [00], or [000]
- External standard keyboard can be connected
- Matches design of Cherry G80/81-3000 keyboards
- Reliability: MTBF: 550,000 hours

## Main Part Numbers

### G80-3700 HQA..(1)

PS/2 male connector, PS/2 female connector for external keyboard

### (1) International Layouts

US Belgian/Swiss  
English (US)/English (UK)

DE Germany

DK Danish/Norwegian

ES Spain

FR France

IT Italy

SF Sweden/Finland

Desktop Product

# G80-3700 Programmable Keypad

## Main Part Numbers

G80-8200 HQA (1)



## Technical Data

**Power Supply**  
3.3-5.0 VDC  $\pm$  10% SELV

**Current Input**  
typ. 50 mA

**Connecting Cable**  
approx. 1.75 m long


**Storage Temperature**  
-20°C to 60°C

**Operating Temperature**  
0°C to 50°C

**Weight**  
approx. 460 g

**Dimensions of Housing**  
108 x 195 x 45 mm

## Connection Diagram



For information on repairs or warranty status contact:

Cherry Technical Support

Phone: 800.510.1689

E-Mail: [keyboardsupport@cherrycorp.com](mailto:keyboardsupport@cherrycorp.com)

## Contact

Call, fax or visit our website for more information.

Last Update: 1/01/07

## Cherry Electrical Products

11200 88th Avenue  
Pleasant Prairie, WI 53158

Phone: 262.942.6500  
Web: [www.cherrycorp.com](http://www.cherrycorp.com)

E-Mail: [sales@cherrycorp.com](mailto:sales@cherrycorp.com)  
Fax: 262.942.6566

The manufacturer accepts no liability for errors or non-availability, and reserves the right to change specifications without prior notice.

Technical data relates to product specifications only. Features may differ from those described. Only drawings combined with product specifications shall be deemed binding.